

Transmission of Guinea worm disease (dracunculiasis) is under surveillance in areas of Angola, Cameroon, Chad, Ethiopia, Mali, South Sudan, and the Central African Republic.

| 0 | 2 | 0 | 0 | 0 | 1 | 3 | 3 | 3 | 1 | 0 | 0 |  |
|---|---|---|---|---|---|---|---|---|---|---|---|--|
| 0 | 0 | 0 | 0 | 2 | 1 | 3 | 3 | 3 | 1 | 1 | 0 |  |
| 0 | 0 | 0 | 0 | 1 | 2 | 1 | 0 | 0 | _ | _ | _ |  |


682 886 399

For further information, please contact <a href="mailto:Emily.Staub@CarterCenter.org">Emily.Staub@CarterCenter.org</a>
<a href="mailto:www.CarterCenter.org">www.CarterCenter.org</a>



<sup>-</sup>Still to be reported

<sup>\*</sup>All figures are year-to-date and provisional until officially confirmed, typically in March the following year.



## THE CARTER CENTER



| <b>‡</b> |   |   |   |
|----------|---|---|---|
|          | 0 | 0 | 0 |
|          | 0 | 1 | 0 |
|          | 1 | 1 | 0 |
|          | 6 | 9 | 2 |
|          | 1 | 0 | 0 |
|          | 0 | 1 | 0 |
|          | 5 | 2 | 2 |

For further information, please contact <u>Emily.Staub@CarterCenter.org</u> <u>www.CarterCenter.org</u> The